D20419R

Product Details



Features

D-sub Connector, Screw lock (Locking screw, #4-40)

Part Number	D20419R
Status	Active
Number of Positions	-
Contact Pitch (mm)	
Rated Current (A)	
Rated Voltage (V)	
Applicable Specifications	
Waterproof/ Non-waterproof	
Applications	
Connector Type	Accessory
Connector Style	
Contact Type	
Wire Termination Style	
Applicable Wire Size (AWG)	
EMI Shielded	Not Applicable
PCB Mounting Style	
SMD Flag	

Applicable Wire Size (ma ²)Applicable Wire SizeDielectric Withstanding Voltage (VACr.m.s.lmiute)Insulation Resistance (megodm min.)Contact Resistance (megodm min.)Operating Temperature Range (deg. C)Abel TypeAbel TypeFishel TypeContact In ContactBishel TypeContact Size (Mail Mail Messawa)Fishel TypeContact In ContactFishel TypeContact Matter Size (Mail Messawa)Contact In ContactFishel Contact In Contacting Parameter Size (Mail Messawa)Fishel Contact In Contacting Parameter Size (Mail Messawa)Fishel Contact In Contacting Parameter Size (Mail Messawa)Fishel Contact In Parameter Size (Mail Messawa)Fishel Contact Size (Mail Messawa) <t< th=""><th>Shell Size</th><th></th></t<>	Shell Size	
Dietectric Withstanding Voltage (VACr.m.s. 1minute) Insulation Resistance (megaohm min.) Contact Resistance (milliohm max.) Operating Temperature Range (deg. C) Shell Type Material of Insulator Finish of Contact in Connecting Area Finish of Contact in Connecting Area Finish of Contact in PCB Mounting Method Screw Lock Assembly Finished Ferrite Applicable Contacts Applicable Product Part Numbers Die (Pin or Socket), DA (Pin or Socket), DE (Socket), DC (Socket) Kacessories Accessory Type Locking screw RoHS compliant Io substances (2011/65/EU, (EU)2015/683)	Applicable Wire Size (mm ²)	
Votage (VACr.m.s. 1minute)Insulation Resistance (megaohm min.)Contact Resistance (milliohm max.)Operating Temperature Range (deg. C)Shell TypeMaterial of InsulatorContactFinish of Contact in Connecting AreaFinish of Contact in Connecting AreaShell TypeHounting MethodScrew Lock AssemblyFinish of Ferrite Applicable ContactsApplicable Product Part NumbersCoscew Lock AssemblyLocking screwLocking screwApplicable Product Part NumbersApplicable Product Part 	Applicable Wire Size	
(megaohm min.)(megaohm min.)Contact Resistance (milliohm max.)(megaohm min.)Operating Temperature Range (deg. C)(megaohm min.)Shell Type(megaohm min.)Shell Type(megaohm min.)Material of Insulator(megaohm min.)Contact(megaohm min.)Finish of Contact in Connecting Area(megaohm min.)Mounting Area(megaohm min.)Screw Lock Assembly(megaohm min.)Fistence of Ferrite(megaohm min.)Applicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)Vise with Accessories(megaohm min.)Accessory TypeLocking screwRACH compliant(megaohm min.)Kach compliant(megaohm min.)		
max.)Operating Temperature Range (deg, C)Shell TypeMaterial of InsulatorContactFinish of Contact in Connecting AreaFinish of Contact in PCB Mounting AreaMounting MethodScrew Lock AssemblyFixistence of FerriteApplicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DE (Socket), DC (Socket)AreaRAPLICABLE Product Part NumbersApplicable ContactsApplicable ContactsApplicable Product Part NumbersApplicable ContactsApplicable ContactsApplicable Product Part NumbersApplicable ContactsApplicable Product Part NumbersApplicable Product Part NumbersApplicable ContactsApplicable Product Part NumbersApplicable Product Part NumbersApplicable ContactsApplicable Product Part NumbersApplicable ContactsApplicable Product Part NumbersApplicable ContactsApplicable Product Part NumbersApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable Product Part NumbersApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsApplicable ContactsAp		
(deg. C)Shell TypeMaterial of InsulatorContactFinish of Contact in Connecting AreaFinish of Contact in PCB Mounting AreaMounting MethodScrew Lock AssemblyExistence of FerriteApplicable ContactsApplicable ContactsContactAreaContact NCCB Mounting MethodExistence of FerriteApplicable ContactsContactsApplicable ContactsContactsApplicable ContactsContactsApplicable ContactsCon		
Material of Insultator Contact Finish of Contact in Connecting Area Finish of Contact in PCB Mounting Area Mounting Method Screw Lock Assembly Existence of Ferrite Applicable Contacts Applicable Product Part Numbers DE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket) Numbers Accessory Type ARHS compliant		
ContactContactFinish of Contact in Connecting AreaFinish of Contact in PCB Mounting AreaMounting MethodScrew Lock AssemblyFaristence of FerriteApplicable ContactsApplicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)Kacessory TypeAccessory TypeRoHS compliantKACH compliant	Shell Type	
Finish of Contact in Connecting Area Finish of Contact in PCB Mounting Area Mounting Area Mounting Method Screw Lock Assembly Existence of Ferrite Applicable Contacts Applicable Product Part Numbers DE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket) Accessory Type Accessory Type RoHS compliant KEACH compliant	Material of Insulator	
Area Finish of Contact in PCB Mounting Area Mounting Method Screw Lock Assembly Existence of Ferrite Applicable Contacts Applicable Contacts DE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket) Use with Accessories Accessory Type RoHS compliant BACH compliant	Contact	
Mounting AreaMounting MethodScrew Lock AssemblyExistence of FerriteApplicable ContactsApplicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)Vse with AccessoriesAccessory TypeRoHS compliantBACH compliant		
Screw Lock AssemblyExistence of FerriteApplicable ContactsApplicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)Use with AccessoriesAccessory TypeLocking screwRoHS compliant10 substances (2011/65/EU, (EU)2015/863)		
Existence of FerriteApplicable ContactsApplicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)Use with AccessoriesAccessory TypeLocking screwRoHS compliant10 substances (2011/65/EU, (EU)2015/863)	Mounting Method	
Applicable Contacts Applicable Product Part Numbers DE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket) Use with Accessories Accessory Type RoHS compliant REACH compliant	Screw Lock Assembly	
Applicable Product Part NumbersDE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)Use with AccessoriesAccessory TypeLocking screwRoHS compliant10 substances (2011/65/EU, (EU)2015/863)REACH compliant	Existence of Ferrite	
Numbers DE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket) Use with Accessories Locking screw Accessory Type Locking screw RoHS compliant 10 substances (2011/65/EU, (EU)2015/863)	Applicable Contacts	
Accessory Type Locking screw RoHS compliant 10 substances (2011/65/EU, (EU)2015/863) REACH compliant		DE (Pin or Socket), DA (Pin or Socket), DB (Socket), DC (Socket)
RoHS compliant 10 substances (2011/65/EU, (EU)2015/863) REACH compliant	Use with Accessories	
REACH compliant	Accessory Type	Locking screw
	RoHS compliant	10 substances (2011/65/EU, (EU)2015/863)
Remarks	REACH compliant	
	Remarks	

Notice

 The values specified in this web site are only for reference. The products and their specifications are subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products.

For purchase, a product specification must be agreed upon.

- 2. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.
- The products presented in this web site are designed for the uses recommended below. We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.
 - (1) Applications that require consultation:

* Please contact us if you are considering use involving a quality assurance program that

you specify or that is peculiar to the industry, such as:

Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems, disaster evention equipment, etc.

* We may separately give you our support with a quality assurance program that

you specify, when you think of a use such as :

Aviation or space equipment, submarine repeaters, nuclear power control systems, medical equipment for life support, etc.

- (2) Recommended applications include:
 - * Computers, office appliances, telecommunications devices (terminals, mobile units), measuring equipment, audiovisual equipment, home electric appliances, factory automation equipment, etc