


# MX84B012SF1

## Product Details



### Features

Compact/ non-waterproof automotive Connector, the same form factor and dimensions as the MX34 Series Terminal size: 0.64 mm, 12 pos., Socket housing, UL94 V-0,

Part Number	MX84B012SF1
Status	Active
Number of Positions	12 pos.
Contact Pitch	2.2 mm
Rated Current	3 A
Connector Type	Socket housing
Connector Style	-
Contact Type	Socket
Wire Termination Style	-
PCB Mounting Method	-
Material of Insulator	PBT (UL94 V-0)
Color of Insulator	Black
Material of Contact	-
Finish of Contact in Connecting Area	-

Finish of Contact in PCB Mounting Area	-
Finish of Contact in Terminal Area	-
Applicable Contacts	M34S75C4F*
Applicable Cable	-
Hand Crimping Tool	-
Contact Extraction Tool	-
RoHS compliant	10 substances (2011/65/EU, (EU)2015/863)
REACH compliant	240 substances (23/01/2024)
Combination	<a href="#">MX84B012NF1</a> <a href="#">MX84B012PF1</a>
Remarks	

## Related information

### Product Videos



### Notice

1. The values specified in this web site are only for reference. The products and their specifications are subject to change without notice.  
Contact our sales staff for further information before considering or ordering any of our products.  
For purchase, a product specification must be agreed upon.
2. Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry. Also contact us regarding the details of use, usage, specification before considering or ordering any of our products.

3. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.