

圖面番号(DRAWING NO.)

The top view shows three components labeled Y22A011 02NFA mounted on a carrier tape. Key dimensions include a pitch of 16 ± 0.2 mm between components, a width of 16 ± 0.2 mm for each component area, and a total width of 32 ± 0.3 mm. The distance from the edge to the first component center is 1.5 +0.1 / -0 mm. The height of the component is 14.25 mm, and the overall height of the tape is 28.4 ± 0.1 mm. A section line B-B is indicated.

The side view (B-B) shows the profile of the component with a thickness of t0.5 mm and a height of 20.6 mm.

The bottom view shows the underside of the component with two pins labeled 1 and 2. The width of the component is 13.8 mm. A section line C-C is indicated.

The cross-section C-C shows the internal structure of the component, including the solder pads and the carrier tape.

REEL	1	PS	—	—
COVER TAPE	—	PET (ESD 10 ⁴ ~10 ⁹ Ω)	—	—
CARRIER TAPE	1	PS (ESD 10 ⁴ ~10 ⁹ Ω)	—	—
MX81A002NF1	470	—	—	SJ125326
名 称 DESCRIPTION	個 数 QTY.	材 料 MATERIAL	仕 上 FINISH	図 番 DWG NO.

(SPECIFICATION)		第1版 (ORIGINAL DATE) 01/FEB/2023		尺度 (SCALE) 1 : 5	シリーズ (SERIES) MX81	日本航空電子工業株式会社 JAE JAPAN AVIATION ELECTRONICS INDUSTRY, LTD. 図面番号 (DRAWING NO.) SJ126068	
-11333 -11333		製図 DR.		名称 (TITLE) MX81A002NF1R470			
差 (GENERAL TOLERANCE)		担当 CHK.					
DIMENSION)		査閲 APPD.					
角度 (ANGLES)		承認 APPD.					
単位 (UNIT) : mm		シート (SHEET NO.)		質量 (MASS)			
		1 OF 1					

JAЕ Connector DIV. Proprietary. Copyright (C) 2023, Japan Aviation Electronics Industry, LTD.

DCF-C-212J(20, 07)