## **JC26E-DSRE**

## **Product Details**



## Features

CF Card connector, Top mount, Right push-push, Screw boardlock, Frame

| Part Number                             | JC26E-DSRE                       |
|---|----------------------------------|
| Status                                  | Active(NRND)                     |
| Number of Positions                     | -                                |
| Rated Current (A)                       |                                  |
| Connector Type                          | System side pin connector, Frame |
| Contact Resistance (milliohm<br>max.)   |                                  |
| Dielectric Withstanding                 |                                  |
| Voltage (VACr.m.s. 1minute)             |                                  |
| Insulation Resistance                   |                                  |
| (megaohm min.)                          |                                  |
| Description on PCB Retention<br>Feature | Hook                             |
|   |                                  |
| Connector Style                         |                                  |
| PCB Mounting Method                     |                                  |
| Material of Contact                     |                                  |
| Finish of Contact in Connecting<br>Area |                                  |

| Finish of Contact in PCB<br>Mounting Area      |  |
|--|--|
| PCB Mounting Style                             | Top mount                                |
| Stand-off (mm)                                 | 0  |
| Ejector Button                                 | Right push-push                          |
| PCB Boardlock Feature                          | Screw                                    |
| Applicable Card Type                           | CF TYPE-I/II                             |
| Applicable Pin Connector                       | JC26E-BBE                                |
| Applicable Frame                               |  |
| Mating Cycles (times)                          |  |
| Packaging Type                                 |  |
| Quantity in The Standard<br>Packaging (pieces) |  |
| RoHS compliant                                 | 10 substances (2011/65/EU, (EU)2015/863) |
| REACH compliant                                | 235 substances (14/06/2023)              |
| Remarks  |  |

## Notice

- The values specified in this web site are only for reference. The products and their specifications are subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products.
   For purchase, a product specification must be agreed upon.
- 2. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.
- The products presented in this web site are designed for the uses recommended below.
  We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.
  - (1) Applications that require consultation:
    - \* Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry, such as:

Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems,

disaster evention equipment, etc.

- \* We may separately give you our support with a quality assurance program that
  - you specify, when you think of a use such as :

Aviation or space equipment, submarine repeaters, nuclear power control systems, medical equipment for life support, etc.

- (2) Recommended applications include:
  - \* Computers, office appliances, telecommunications devices (terminals, mobile units), measuring equipment, audiovisual equipment, home electric appliances, factory automation equipment, etc