JN1ES10SL1

Product Details



Features

Small circular connector, 10 pos., Individual plug

Part Number	JN1ES10SL1
Status	Active
Number of Positions	10 pos.
Rated Current	3A
Rated Voltage	
Waterproof/ Non-waterproof	Non-waterproof
Applications	Industrial equipment interface
Connector Type	Individual plug
Connector Style	
Contact Type	Socket (Sold separately)
Wire Termination Method	Crimp or Soldering
Applicable Wire Size (AWG)	
Coupling Style	One-touch locking
Contact Size	#22
Shell Size	S
Contact Arrangement Code	

Contact Size X No. of Contacts	#22*10
Applicable Wire (Cross-	
sectional Area of Conductor)	
Applicable Wire Insulation	
Diameter	
Polarizing Key Position	Normal position
Material of Contact	
Finish of Contact in Connecting	
Area	
Outer Shell Color	Black
Total Current Rating (A)	
Contact Resistance (milliohm)	
Dielectric Withstanding	AC 900 Vr.m.s.
Voltage (1 minute)	AC 900 VI.III.S.
Insulation Resistance	1,000 megohm min.
Mating Cycles	500 times
Operating Temperature Range	-20 Deg. C to +125 Deg. C
Applicable Contacts	JN1-22-20S-R-*, JN1-22-22S-*, JN1-22-26S-*, JN1-22-22F-*
Applicable Housing	
Applicable Accessory	
Applicable Product Part	
Numbers	
Applicable Wire Diameter	
RoHS compliant	10 substances (2011/65/EU, (EU)2015/863)
REACH compliant	
Combination	JN1AS10ML1-R
	JN1AS10ML2-R
	JN1AS10UL1
	JN1HS10PL2
	JN1HS10PL3
	JN1HS10PL3S
	JN1HS10PL4S

	JN1HS10PLKS1
	JN1HS10PLKS2
	JN1HS10PLKS3
	JN1KS10PL1
	JN1KS10PL2
	JN2AS10ML1-R
	JN2AS10ML2-R
	JN2AS10UL1-R
	JN1HS10PL1
Remarks	Individual Plug

Notice

- The values specified in this web site are only for reference. The products and their specifications
 are subject to change without notice. Contact our sales staff for further information before
 considering or ordering any of our products.
 For purchase, a product specification must be agreed upon.
- 2. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.
- 3. The products presented in this web site are designed for the uses recommended below.

 We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.
 - (1) Applications that require consultation:
 - * Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry, such as:
 - Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems, disaster evention equipment, etc.
 - *We may separately give you our support with a quality assurance program that you specify, when you think of a use such as:
 - Aviation or space equipment, submarine repeaters, nuclear power control systems, medical equipment for life support, etc.
 - (2) Recommended applications include:
 - *Computers, office appliances, telecommunications devices (terminals, mobile units), measuring equipment, audiovisual equipment, home electric appliances, factory automation equipment, etc